

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

1 Identification

- **Product Identifier**
- **Trade Name: ADCOS PURINJECT 1C FLEX 55**
- **Relevant identified uses of the substance or mixture and uses advised against:**
Only for professional use.
- **Product Description:** Sealant
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
ADCOS LLC
2131 SE 15th Place
Cape Coral, FL 33990
P: 6037700351
info@adcosusa.com
- **Emergency telephone number:** 603-770-0351

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Health hazard

Sensitization - Respiratory 1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 2

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2

H373 May cause damage to organs through prolonged or repeated exposure.



Acute Toxicity - Inhalation 4

H332 Harmful if inhaled.

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Danger
- **Hazard-determining components of labeling:**
Diphenylmethanediisocyanate, isomeres and homologues
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenylisocyanate
Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer
4,4'-methylenediphenyl diisocyanate
- **Hazard statements:**
H332 Harmful if inhaled.
H315 Causes skin irritation.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P312 Call a poison center/doctor if you feel unwell.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P314 Get medical advice/attention if you feel unwell.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.
100 % of the mixture consists of component(s) of unknown toxicity.

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

NFPA ratings (scale 0 - 4)**HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|---------------------|
| HEALTH | 2 | Health = 2 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Physical Hazard = 0 |

Hazard(s) not otherwise classified (HNOC): None known

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

* 3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

| | | |
|-------------------------------------|--|---------|
| CAS: 9016-87-9 RTECS: TR 0320000 | Diphenylmethanediisocyanate, isomeres and homologues Consisting of: 101-68-8 4,4'-methylenediphenyl diisocyanate (40%) ⚠ Sensitization - Respiratory 1, H334; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ⚠ Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 Specific concentration limits: Eye Irritation 2; H319: C ≥ 5 % Skin Irritation 2; H315: C ≥ 5 % Sensitization - Respiratory 1; H334: C ≥ 0.1 % Specific Target Organ Toxicity - Single Exposure 3; C ≥ 5 % | 40-100% |
| CAS: 53862-89-8 | Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer ⚠ Sensitization - Respiratory 1, H334 | 5-35% |
| CAS: 101-68-8 RTECS: NQ 9350000 | 4,4'-methylenediphenyl diisocyanate ⚠ Sensitization - Respiratory 1, H334; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ⚠ Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 Specific concentration limits: Eye Irritation 2; H319: C ≥ 5 % Skin Irritation 2; H315: C ≥ 5 % Sensitization - Respiratory 1; H334: C ≥ 0.1 % Specific Target Organ Toxicity - Single Exposure 3; H335: C ≥ 5 % | 0-3.5% |
| | Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenylisocyanate ⚠ Sensitization - Respiratory 1, H334; Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ⚠ Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 | 0-3.5% |

- **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- **Description of first aid measures**
- **General information:** If symptoms persist, call a physician.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- **After skin contact:**
Immediately remove as much product as possible, using a dry cloth, a towel, a paper towel or tissues. Thoroughly use a waterless soap to remove the remaining product. Afterwards rinse and wash with water and soap.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

- **After eye contact:**

Immediately remove as much product around the eyes as possible, using a dry cloth, a towel, a paper towel or tissues. Rinse opened eye for several minutes under running water, then consult a doctor.

- **After swallowing:** If symptoms persist, consult a doctor.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

5 Fire-Fighting Measures

- **Extinguishing media**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents:** No further relevant information.

- **Special hazards arising from the substance or mixture:**

Carbon oxides (COx), Nitrogen oxides (NOx), hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

- **Advice for firefighters**

- **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**

Avoid contact with the skin and eyes. Avoid breathing vapor or mist.

- **Environmental precautions:** Dilute with plenty of water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **PAC-1:**

| | | |
|-----------|--|------------------------|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues | 0.15 mg/m ³ |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | 0.45 mg/m ³ |

- **PAC-2:**

| | | |
|-----------|--|-----------------------|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues | 3.6 mg/m ³ |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | 5 mg/m ³ |

- **PAC-3:**

| | | |
|-----------|--|----------------------|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues | 22 mg/m ³ |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | 55 mg/m ³ |

7 Handling and Storage

- **Handling**

- **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Keep container tightly sealed.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

| 101-68-8 4,4'-methylenediphenyl diisocyanate | |
|---|---|
| PEL | Ceiling limit value: 0.2 mg/m ³ , 0.02 ppm |
| REL | Long-term value: 0.05 mg/m ³ , 0.005 ppm Ceiling limit value: 0.2* mg/m ³ , 0.02* ppm *10-min |
| TLV | Long-term value: 0.005 ppm |

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:** None

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid
Color: Light brown
Odor: Characteristic
Odor threshold: Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Not determined.
Boiling point/Boiling range: Not determined.

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Auto igniting:** $\geq 400\text{ }^{\circ}\text{C}$ ($\geq 752\text{ }^{\circ}\text{F}$)

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: 1.5 Vol %
Upper: 12.5 Vol %

· **Vapor pressure @ 25 °C (77 °F):** >0 hPa

· **Density @ 20 °C (68 °F):** 1.177 g/cm³ (9.8221 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic @ 20 °C (68 °F): 60 mPas
Kinematic: Not determined.

· **Solvent content:**

VOC content: 0.00 %

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** None known.
- **Incompatible materials:** None known.
- **Hazardous decomposition products:** None known.

11 Toxicological Information

- **Information on toxicological effects:**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

| | | |
|--------|-----------|-----------------------|
| Oral | LD50 Oral | >10,000 ml/kg (Rat) |
| Dermal | LD50 | >9,400 mg/kg (rabbit) |

101-68-8 4,4'-methylenediphenyl diisocyanate

| | | |
|------------|----------|-----------------------|
| Oral | LD50 | 2,200 mg/kg (mouse) |
| Dermal | LD50 | >9,400 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >1,000 mg/l (Trout) |

- **Primary irritant effect:**

- **On the skin:**

Irritant to skin and mucous membranes.
May cause an allergic skin reaction.

- **On the eye:** Irritating effect.

- **Sensitization:**

Sensitization possible through inhalation.
Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Irritant

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

| | | |
|-----------|--|---|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues | 3 |
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | 3 |

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

| |
|---|
| <ul style="list-style-type: none"> · OSHA-Ca (Occupational Safety & Health Administration): |
| <ul style="list-style-type: none"> None of the ingredients are listed. |

12 Ecological Information

| | | | | |
|--|---------------------------|-----------------------|--|---------------------------|
| <ul style="list-style-type: none"> · Toxicity: | | | | |
| <ul style="list-style-type: none"> · Aquatic toxicity: | | | | |
| <p>9016-87-9 Diphenylmethanediisocyanate, isomers and homologues</p> | | | | |
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; border-right: 1px solid black; padding: 5px;">EC50</td> <td style="padding: 5px;">>1,000 mg/l (Daphnia)</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;"></td> <td style="padding: 5px;">>10,000 mg/l (Zebra fish)</td> </tr> </table> | EC50 | >1,000 mg/l (Daphnia) | | >10,000 mg/l (Zebra fish) |
| EC50 | >1,000 mg/l (Daphnia) | | | |
| | >10,000 mg/l (Zebra fish) | | | |
| <p>101-68-8 4,4'-methylenediphenyl diisocyanate</p> | | | | |
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; border-right: 1px solid black; padding: 5px;">EC50</td> <td style="padding: 5px;">>1,000 mg/l (Daphnia)</td> </tr> </table> | EC50 | >1,000 mg/l (Daphnia) | | |
| EC50 | >1,000 mg/l (Daphnia) | | | |

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- | | |
|---|------------------------|
| <ul style="list-style-type: none"> · UN-Number: | Non-Regulated Material |
| <ul style="list-style-type: none"> · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| <ul style="list-style-type: none"> · UN proper shipping name: | Non-Regulated Material |
| <ul style="list-style-type: none"> · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| <ul style="list-style-type: none"> · Transport hazard class(es): | Non-Regulated Material |
| <ul style="list-style-type: none"> · DOT, ADR/ADN, ADN, IMDG, IATA | Non-Regulated Material |
| <ul style="list-style-type: none"> · Class: | Non-Regulated Material |
| <ul style="list-style-type: none"> · Packing group: | Non-Regulated Material |
| <ul style="list-style-type: none"> · DOT, ADR/ADN, IMDG, IATA | Non-Regulated Material |
| <ul style="list-style-type: none"> · Environmental hazards: | Not applicable. |
| <ul style="list-style-type: none"> · Special precautions for user: | Not applicable. |
| <ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| <ul style="list-style-type: none"> · UN "Model Regulation": | Non-Regulated Material |

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

No further relevant information available.

· **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

| | |
|-----------|--|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues |
|-----------|--|

| | |
|----------|-------------------------------------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate |
|----------|-------------------------------------|

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

| | |
|----------|-------------------------------------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate |
|----------|-------------------------------------|

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

| | |
|-----------|--|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues |
|-----------|--|

| | |
|----------|-------------------------------------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate |
|----------|-------------------------------------|

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**

| | |
|----------|-------------------------------------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate |
|----------|-------------------------------------|

· **Pennsylvania Special Hazardous Substance List:**

| | | |
|----------|-------------------------------------|---|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | E |
|----------|-------------------------------------|---|

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

| | | |
|-----------|--|-----|
| 9016-87-9 | Diphenylmethanediisocyanate, isomeres and homologues | CBD |
|-----------|--|-----|

| | | |
|----------|-------------------------------------|--------|
| 101-68-8 | 4,4'-methylenediphenyl diisocyanate | D, CBD |
|----------|-------------------------------------|--------|

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

Hazard pictograms:



Signal word: Danger

Hazard-determining components of labeling:

Diphenylmethanediisocyanate, isomeres and homologues
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenylisocyanate
Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer
4,4'-methylenediphenyl diisocyanate

Hazard statements:

H332 Harmful if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P302+P352 If on skin: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a poison center/doctor if you feel unwell.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P314 Get medical advice/attention if you feel unwell.
P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX 55

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Inhalation 4: Acute toxicity – Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Respiratory 1: Respiratory sensitisation – Category 1

Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106