

Page 1/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

- 1 Identification • Product Identifier
- Trade Name: ADCOS PURINJECT 1C FLEX
- Relevant identified uses of the substance or mixture and uses advised against:
- Only for professional use.
- · Product Description: Mixture
- Details of the Supplier of the Safety Data Sheet:
 Manufacturer/Supplier: ADCOS LLC
 2131 SE 15th Place
 Cape Coral, FL 33990
 P: 6037700351
 info@adcosusa.com
- Emergency telephone number: 603-770-0351

2 Hazard(s) Identification

· Classification of the substance or mixture:



Health hazard

Carcinogenicity 2	H351 Suspected of causing cancer.
Specific Target Organ Toxicity - Repeated Exposure 2	H373 May cause damage to organs through
	prolonged or repeated exposure.



Acute Toxicity - Inhalation 4	H332 Harmful if inhaled.
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure 3	H335 May cause respiratory irritation.

· Label elements:

· Hazard pictograms:



· Signal word: Warning

Hazard-determining components of labeling:
Diphenylmethanediisocyanate, isomeres and homologues
Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer
4,4'-methylenediphenyl diisocyanate
Hazard statements:
H332 Harmful if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.



Page 2/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.			
Precautionary sta			
P201	Obtain special instructions before use.		
P202	Do not handle until all safety precautions have been read and understood.		
P260	Do not breathe dust/fume/gas/mist/vapors/spray.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P272	Contaminated work clothing must not be allowed out of the workplace.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P302+P352	If on skin: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if			
	present and easy to do. Continue rinsing.		
P308+P313	IF exposed or concerned: Get medical advice/attention.		
P312	Call a poison center/doctor if you feel unwell.		
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).		
P314	Get medical advice/attention if you feel unwell.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P363	Wash contaminated clothing before reuse.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.		

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 100 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme • NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Substance

· Description: Mixture of substances listed below with non-hazardous additions.



Page 3/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

-

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

-

· Dangerous Components:		
CAS: 9016-87-9 RTECS: TR 0320000	Diphenylmethanediisocyanate, isomeres and homologues Consisting of: 101-68-8 4,4'-methylenediphenyl diisocyanate (40%) Sensitization - Respiratory 1, H334; Specific Target Organ Toxicity - Repeated Exposure 2, H373; ① Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 Specific concentration limits: Eye Irritation 2; H319: C ≥ 5 % Skin Irritation 2; H315: C ≥ 5 % Sensitization - Respiratory 1; H334: C ≥ 0.1 % Specific Target Organ Toxicity - Single Exposure 3; C ≥ 5 %	45-100%
CAS: 53862-89-8	Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer Sensitization - Respiratory 1, H334	5-35%
CAS: 101-68-8 RTECS: NQ 9350000	 4,4'-methylenediphenyl diisocyanate Sensitization - Respiratory 1, H334; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335 Specific concentration limits: Eye Irritation 2; H319: C ≥ 5 % Skin Irritation 2; H315: C ≥ 5 % Sensitization - Respiratory 1; H334: C ≥ 0.1 % Specific Target Organ Toxicity - Single Exposure 3; H335: C ≥ 5 % 	0-3.5%
Additional informatio	Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p- isocyanatobenzyl)phenylisocyanate Sensitization - Respiratory 1, H334; Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 2, H373; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	0-3.5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- · After inhalation:

Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient in stable position for transportation.

• After skin contact:

Immediately remove as much product as possible, using a dry cloth, towel or paper. Thoroughly use a waterless soap to remove the remaining product. Afterwards rinse and wash with water and soap.

· After eye contact:

Immediately remove as much product around the eyes as possible, using a dry cloth, a towel, a paper towel or tissues. Rinse opened eye for several minutes under running water, then consult a doctor.

- After swallowing: If symptoms persist, consult a doctor.
- Information for doctor

• Most important symptoms and effects, both acute and delayed: No further relevant information available.



Page 4/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture:

Carbon oxides (Cox), Nitrogen oxides (NOx), hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures:
- Avoid contact with the skin and eyes. Avoid breathing vapor or mist.
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· PAC-1:		
9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues	0.15 mg/m ³	
101-68-84,4'-methylenediphenyl diisocyanate0.45		
· PAC-2:		
9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues	3.6 mg/m ³	
101-68-84,4'-methylenediphenyl diisocyanate5 mg		
· PAC-3:		
9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues	22 mg/m ³	
101-68-8 4,4'-methylenediphenyl diisocyanate	55 mg/m³	

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Keep container tightly sealed.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.



Page 5/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

101-68-8 4,4'-methylenediphenyl diisocyanate			
EL Ceiling limit value: 0.2 mg/m³, 0.02 ppm			
EL Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min			

TLV Long-term value: 0.005 ppm

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. *Material of gloves:*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None



Page 6/11

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

9 Physical and Chemical Properties		
Information on basic physical and chemical properties General Information		
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid Yellow Characteristic Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	None	
· Flammability (solid, gaseous):	Not applicable.	
· Auto igniting:	Not applicable	
 Decomposition temperature: 	Not determined.	
· Ignition temperature:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	1.5 Vol % 12.5 Vol %	
· Vapor pressure @ 25 °C (77 °F):	>0 hPa	
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1.1 g/cm³ (9.1795 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with: Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic @ 20 °C (68 °F): Kinematic: 	215 mPas Not determined.	
 Solvent content: VOC content: 	0.00 %	
Solids content:	0 %	
· Other information:	No further relevant information available.	
10 Stability and Reactivity		

· *Reactivity:* No further relevant information available.

· Chemical stability: Product is stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.



Page 7/11

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: None known.
- · Incompatible materials: None known.
- · Hazardous decomposition products: None known.

11 Toxicological Information

- · Information on toxicological effects:
- Acute toxicity:

• LD/LC50 values that are relevant for classification:	
--	--

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues			
Oral	LD50 Oral	>10,000 ml/kg (Rat)	
Dermal	LD50	>9,400 mg/kg (rabbit)	
101-68-8 4	101-68-8 4,4'-methylenediphenyl diisocyanate		
Oral	LD50	2,200 mg/kg (mouse)	
Dermal	LD50	>9,400 mg/kg (rabbit)	
Inhalative	LC50/4 h	>1,000 mg/l (Trout)	
 Irritant to skin and mucous membranes. May cause an allergic skin reaction. On the eye: Irritating effect. Sensitization: Sensitization possible through inhalation. Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant 			
 Carcinogenic categories: IARC (International Agency for Research on Cancer): Group 1 - Carcinogenic to humans Group 2A - Probably carcinogenic to humans Group 2B - Possibly carcinogenic to humans Group 3 - Not classifiable as to its carcinogenicity to humans Group 4 - Probably not carcinogenic to humans 			
			3
101-68-8 4,4'-methylenediphenyl diisocyanate 3			
NTP (National Toxicology Program):			
None of the ingredients are listed.			
	• •	onal Safety & Health Administration):	
None of th	ie ingredien	ts are listed.	

(Contd. on page 8)



Page 8/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

12 Ecological Information

• Toxicity:

· Aquatic toxicity:

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

EC50 >1,000 mg/l (Daphnia)

>10,000 mg/l (Zebra fish)

101-68-8 4,4'-methylenediphenyl diisocyanate

- EC50 >1,000 mg/l (Daphnia)
- Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

 · UN-Number: · DOT, ADR/ADN, IMDG, IATA · UN proper shipping name: · DOT, ADR/ADN, IMDG, IATA · Transport hazard class(es): 	Non-Regulated Material Non-Regulated Material
 DOT, ADR/ADN, ADN, IMDG, IATA Class: Packing group: DOT, ADR/ADN, IMDG, IATA Environmental hazards: Special precautions for user: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: UN "Model Regulation": 	Non-Regulated Material Non-Regulated Material Not applicable. Not applicable. of Not applicable. Non-Regulated Material



Page 9/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

15 Regulatory Information

- Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
 SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances): None of the ingredients are listed.
- Section 313 (Specific toxic chemical listings):
 - 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues
 - 101-68-8 4,4'-methylenediphenyl diisocyanate
- TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
- · Hazardous Air Pollutants
- 101-68-8 4,4'-methylenediphenyl diisocyanate
- California Proposition 65:
- Chemicals known to cause cancer: None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients are listed.
- New Jersey Right-to-Know List:
- 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues 101-68-8 4,4'-methylenediphenyl diisocyanate
- New Jersey Special Hazardous Substance List:
- None of the ingredients are listed.
- · Pennsylvania Right-to-Know List:
- 101-68-8 4,4'-methylenediphenyl diisocyanate
- *Pennsylvania Special Hazardous Substance List:* 101-68-8 4,4'-methylenediphenyl diisocyanate
- · Carcinogenic categories:
- EPA (Environmental Protection Agency):
- 9016-87-9Diphenylmethanediisocyanate, isomeres and homologuesCBD101-68-84,4'-methylenediphenyl diisocyanateD, CBD
- TLV (Threshold Limit Value established by ACGIH):
- None of the ingredients are listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health):
- None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Е



Page 10/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

· Hazard pictograms:



· Signal word: Warning

• *Hazard-determining components of labeling:* Diphenylmethanediisocyanate, isomeres and homologues

Polymethylenepolyphenyl polyisocyanate, polypropyleneglycol copolymer 4,4'-methylenediphenyl diisocyanate Hazard statements: H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. • Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. P261 Wash thoroughly after handling. P264 Use only outdoors or in a well-ventilated area. P271 Contaminated work clothing must not be allowed out of the workplace. P272 P280 Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. P302+P352 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. P308+P313 P312 Call a poison center/doctor if you feel unwell. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P321 P314 Get medical advice/attention if you feel unwell. P362+P364 Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. P332+P313 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. P337+P313 Wash contaminated clothing before reuse. P363 P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

• *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)



Page 11/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/09/2024

Reviewed on 05/09/2024

Trade Name: ADCOS PURINJECT 1C FLEX

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Acute Toxicity - Inhalation 4: Acute toxicity – Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Respiratory 1: Respiratory sensitisation – Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 2: Carcinogenicity - Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106