

Page 1/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

- 1 Identification
 Product Identifier
- Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR
- · CAS Number: 7775-27-1
- · EINECS Number: 231-892-1
- Relevant identified uses of the substance or mixture and uses advised against: Only for professional use.
- · Product Description: Substance
- Details of the Supplier of the Safety Data Sheet:
 Manufacturer/Supplier: ADCOS LLC
 2131 SE 15th Place
 Cape Coral, FL 33990
 P: 6037700351
 info@adcosusa.com
- · Emergency telephone number: 603-770-0351

2 Hazard(s) Identification

· Classification of the substance or mixture:



Flame over circle

Oxidizing Liquids 3

H272 May intensify fire; oxidizer.



Sensitization - Respiratory 1

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Acute Toxicity - Oral 4H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.Sensitization - Skin 1H317 May cause an allergic skin reaction.Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

Label elements:
 Hazard pictograms:



· Signal word: Danger

• *Hazard-determining components of labeling:* Disodium peroxodisulphate



Page 2/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

· Hazard statements:

H272 May intensify fire; oxidizer.

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

H302 Harmful if swallowed.		
H315 Causes skin irritation.		
H319 Causes serie	ous eye irritation.	
H334 May cause a	allergy or asthma symptoms or breathing difficulties if inhaled.	
H317 May cause a	an allergic skin reaction.	
	espiratory irritation.	
Precautionary statements:		
P210	Keep away from heat.	
P220	Keep/Store away from clothing/combustible materials.	
P221	Take any precaution to avoid mixing with combustibles.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P284	[In case of inadequate ventilation] wear respiratory protection.	
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.	
P330	Rinse mouth.	
P302+P352	If on skin: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for	
D005 . D054 . D000	breathing.	
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.	
P363	Wash contaminated clothing before reuse.	
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
11		

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

• NFPA ratings (scale 0 - 4)



The substance possesses oxidizing properties.



Page 3/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

• HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 1 Fire = 3 FIRE 3 REACTIVITY O Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

 Dangerous Cor 	mponents:
-----------------------------------	-----------

Disodium peroxodisulphate	100%
🚸 Oxidizing Solids 2, H272; 🚸 Sensitization - Respiratory 1, H334; 🚸 Acute Toxicity -	
Oral 4, H302; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A,	
H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3,	
H335	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· Description of first aid measures

· General information: If symptoms persist, call a physician.

• After inhalation:

Supply fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a doctor.

• After skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if irritation develops and persists.

· After eve contact:

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get prompt medical attention.

· After swallowing: Rinse mouth with water. Drink plenty of water. Get medical attention immediately.

· Information for doctor

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture:

Thermal decomposition may produce: nitrogen oxides (NOx), carbon oxides (Cox), sulfur oxides (Sox)

· Advice for firefighters

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)



Page 4/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

6 Accidental Release Measures

 Personal precautions, protective equipment and emergency procedures: Do not breatch dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
 Environmental precautions: No special measures required.

• Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· PAC-1:

All components have the value 0.3 mg/m³.

· PAC-2:

All components have the value 8.2 mg/m³.

· PAC-3:

All components have the value 49 mg/m³.

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Keep away from direct sunlight.

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Keep container tightly sealed.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

· Components with occupational exposure limits:

7775-27-1 Disodium peroxodisulphate

TLV Long-term value: 0.1 mg/m³ as persulfate

• Additional information: The lists that were valid during the creation of this SDS were used as basis.



Page 5/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing and wash before reuse.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information	enemen properties
 Appearance: Form: Color: Odor: Odor threshold: 	Powder White Odorless Not determined.
· pH-value @ 20 °C (68 °F):	4.3
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	180 °C (356 °F) Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Auto igniting:	≥400 °C (≥752 °F)
· Decomposition temperature:	Not determined.



Page 6/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

· Ignition temperature:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	2.59 g/cm³ (21.6136 lbs/gal) Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water @ 20 °C (68 °F): 	556 g/l
· Partition coefficient (n-octanol/water	<i>):</i> Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
 Solvent content: VOC content: 	0.00 %
Solids content:	100.0 %
· Other information:	No further relevant information available.

10 Stability and Reactivity

· Reactivity: No further relevant information available.

- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Keep away from heat and sources of ignition. Protect from light.
- Incompatible materials:

Acids and bases. Oxidizing agents. Reducing agents. Amines and alcohols causes exothermic reactions. Metals.

· Hazardous decomposition products: Carbon oxides (Cox), Nitrogen oxides (NOx), sulfur oxides (SOx).

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7775-27-1 Disodium peroxodisulphate

Oral LD50 925 mg/kg (Rat)

- Primary irritant effect:
- **On the skin:** Irritant to skin and mucous membranes. May cause an allergic skin reaction.
- On the eye: Irritating effect.



Page 7/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Harmful Irritant
- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- Toxicity:
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, IMDG, IATA
- UN proper shipping name:
- DOT
- · ADR/ADN
- · IMDG, IATA

UN1505

Sodium persulfate solution UN1505 SODIUM PERSULPHATE solution SODIUM PERSULPHATE solution

(Contd. on page 8)



Page 8/11

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

 Transport hazard class(es): 		
· DOT		
· Class: · Label:	5.1 Oxidizing substances 5.1	
· ADR/ADN		
· Class: · Label:	5.1 (O2) Oxidizing substances 5.1	
· IMDG, IATA		
 Environmental hazards: Special precautions for user: Hazard identification number (Kemler code): EMS Number: Stowage Category Segregation Code Transport in bulk according to Annex II of 	 5.1 Oxidizing substances 5.1 III Not applicable. Warning: Oxidizing substances 50 F-A,S-Q A SG38 Stow "separated from" SGG2-ammoniur SG49 Stow "separated from" SGG6-cyanides Not applicable. 	n compounds.
· DOT · Quantity limitations:	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg	
· ADR/ADN · Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 Maximum net quantity per outer packaging: 10	
· IMDG · Limited quantities (LQ):	5 kg	(Contd. on page 9)



Page 9/11

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

• Excepted quantities (EQ): • UN "Model Regulation":	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN 1505 SODIUM PERSULPHATE SOLUTION, 5.1, III
*15 Regulatory Information	
No further relevant information available.	lations/legislation specific for the substance or mixture: eauthorization):
· Section 355 (extremely hazardous subs	stances):
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical lis	stings):
None of the ingredients are listed.	
• TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients are listed.	
· California Proposition 65:	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductiv	/e toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause reproductiv	/e toxicity for males:
None of the ingredients are listed.	
· Chemicals known to cause developme	ntal toxicity:
None of the ingredients are listed.	
· New Jersey Right-to-Know List:	
All ingredients are listed.	
· New Jersey Special Hazardous Substa	nce List:
None of the ingredients are listed.	
· Pennsylvania Right-to-Know List:	
None of the ingredients are listed.	
· Pennsylvania Special Hazardous Subs	tance List:
None of the ingredients are listed.	
· Carcinogenic categories:	
• EPA (Environmental Protection Agency	v):
None of the ingredients are listed.	.,
• TLV (Threshold Limit Value established	d by ACGIH):
None of the ingredients are listed.	
• NIOSH-Ca (National Institute for Occup	pational Safety and Health):
None of the ingredients are listed.	
v	(Contd. on page 10)



Page 10/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



- · Signal word: Danger
- *Hazard-determining components of labeling:* Disodium peroxodisulphate

· Hazard statements:

H272 May intensify fire; oxidizer.

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.

Precautionary statements:

Precautionary sta	atements:
P210	Keep away from heat.
P220	Keep/Store away from clothing/combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P304+P341	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for
	breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	(Centre on news 11)

(Contd. on page 11)



Page 11/11

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 05/07/2024

Reviewed on 05/07/2024

Trade Name: ADCOS ACYLINJECT AC FLEX INITIATOR

• National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Oxidizing Liquids 3: Oxidizing liquids - Category 3 Oxidizing Solids 2: Oxidizing solids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106